

Male and Female
Adaptor Connectors



Bulkhead Adaptor Connectors




Elbow Adaptors



Tee Adaptors



Caps and Plugs



Male Adaptor Connectors		2 - 3	Elbow Adaptors		6 - 7
	Male Adaptor Connector BSPP with Profile Sealing Ring (NBR) ADP-C-G..WD-MM-W3-WD-B	2		Compact Elbow 90° BSPT - BSPP Swivel Female ADP-CE90-T../G..-MF-FG-W3	6
	Male Reducing Adaptor Connector BSPP with Profile Sealing Ring (NBR) ADP-C-G..WD/G..WD-MM-W3-WD-B	2		Compact Elbow 45° BSPT - BSPP Swivel Female ADP-CE45-T../G..-MF-FG-W3	6
	Male Adaptor Connector BSPT Thread ADP-C-T..-MM-W3	2		Male Positional Compact Elbow 90° BSPT Thread ADP-PCE90-G../G..-MM-FG-W3-OKOR-B	6
	Male Reducing Adaptor Connector BSPT ADP-C-T../T..-MM-W3	2		Male Positional Compact Elbow 90° BSPT - BSPT ADP-PCE90-G../T..-MM-FG-W3-OKOR-B	6
	Male Adaptor Connector BSPP with Profile Sealing Ring (NBR) - BSPT ADP-C-G..WD/T..-MM-W3-WD-B	3		Male Positional Compact Elbow 90° Metric Male - JIC Male ADP-PCE90-M../J..-MM-FG-W3-OKOR-B	7
	Male Adaptor Connector Metric Thread with Profile Sealing Ring (NBR) - JIC ADP-C-M..WD/J..-MM-W3-WD-B	3	Tee Adaptors 7 - 8		
	Male Adaptor Connector BSPP with Profile Sealing Ring (NBR) - BSPP Swivel Female ADP-C-G..WD/G..-MF-W3-WD-B	3		Male Adaptor Equal Tee BSPT Thread ADP-T-T..-MMM-FG-W3	7
Female Adaptor Connectors		4		Male Adaptor Run Tee BSPT - BSPP Female ADP-T-T../T../G..-MMF-FG-W3	7
	Female Adaptor (Socket) Connector BSPP Thread ADP-C-G..-FFX-W3	4		Male Adaptor Branch Tee BSPT - BSPP Female ADP-T-T../G../T..-MFM-FG-W3	7
	Female Adaptor (Socket) Connector BSPT Thread ADP-C-T..-FFX-W3	4		Female Adaptor Equal Tee BSPP Thread ADP-T-G..-FFFX-FG-W3	8
	Bulkhead Adaptor Connector BSPP with Profile Sealing Ring (NBR) ADP-B-G../G..WD-W3-WD-B-SKM	C		Female Adaptor Equal Tee BSPT Thread ADP-T-T..-FFFX-FG-W3	8
				Cap BSPP Female ADP-CP-G..-F-W3	9
				Plug BSPT Male ADP-HP-T..-M-W3	9

Ordering Codes



① Series

Adaptor **ADP**

② Type

Connector **C**

③ Thread Types & Sizes

JIC	J
BSP Cylindrical	G
BSP WD	G..WD
BSP Taper	T
NPT (NPTF)	N
UNF/UN	U
Metric	M
Thread Sizes	- See Table

④ Gender Types

Male / Male	MM
Male / Female	MF
Female / Female Fixed	FFX

⑤ Surface Protection

Steel, zinc/nickel-plated **W3**

⑥ Assembly Status

DIN Nut and Ring Assembled	MS
Perbunan Elastomeric Sealing	WD-B
Perbunan O-Ring	OR-B

③ Thread Sizes

Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)
02	5/16	1/8	1/8	1/8	5/16-24
03	3/8	-	-	-	3/8-24
04	7/16	1/4	1/4	1/4	7/16-20
05	1/2	-	-	-	1/2-20
06	9/16	3/8	3/8	3/8	9/16-18
08	3/4	1/2	1/2	1/2	3/4-16
10	7/8	-	-	-	7/8-14

Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)
12	1-1/16	3/4	3/4	3/4	1-1/16-12
14	1-3/16	-	-	-	1-3/16-12
16	1-5/16	1	1	1	1-5/16-12
20	1-5/8	1-1/4	1-1/4	1-1/4	1-5/8-12
24	1-7/8	1-1/2	1-1/2	1-1/2	1-7/8-12
32	2-1/2	2	2	2	2-1/2-12

Male Adaptor Connectors

Male Adaptor Connector
BSPP with Profile Sealing Ring (NBR)
W3 - Steel, zinc/nickel-plated
Type ADP-C-G..WD-MM-W3-WD-B



Item No.	Designation	Stud Size
6100314167	ADP-C-G02WD-MM-W3-WD-B	1/8
6100133094	ADP-C-G04WD-MM-W3-WD-B	1/4
6100243774	ADP-C-G06WD-MM-W3-WD-B	3/8
6100244717	ADP-C-G08WD-MM-W3-WD-B	1/2
6100405836	ADP-C-G12WD-MM-W3-WD-B	3/4
6100132993	ADP-C-G16WD-MM-W3-WD-B	1
6100314179	ADP-C-G20WD-MM-W3-WD-B	1-1/4
6100314181	ADP-C-G24WD-MM-W3-WD-B	1-1/2

Shop online
Scan QR Code to view products on webshop online.

Male Reducing Adaptor Connector
BSPP with Profile Sealing Ring (NBR)
W3 - Steel, zinc/nickel-plated
Type ADP-C-G..WD/G..WD-MM-W3-WD-B



Item No.	Designation	Stud Size
6100314168	ADP-C-G02WD/G04WD-MM-W3-WD-B	1/8 - 1/4
6100314169	ADP-C-G04WD/G06WD-MM-W3-WD-B	1/4 - 3/8
6100314170	ADP-C-G04WD/G08WD-MM-W3-WD-B	1/4 - 1/2
6100314171	ADP-C-G06WD/G08WD-MM-W3-WD-B	3/8 - 1/2
6100314172	ADP-C-G06WD/G12WD-MM-W3-WD-B	3/8 - 3/4
6100314173	ADP-C-G08WD/G12WD-MM-W3-WD-B	1/2 - 3/4
6100314174	ADP-C-G08WD/G16WD-MM-W3-WD-B	1/2 - 1
6100314175	ADP-C-G12WD/G16WD-MM-W3-WD-B	3/4 - 1
6100314176	ADP-C-G12WD/G20WD-MM-W3-WD-B	3/4 - 1-1/4
6100314177	ADP-C-G16WD/G20WD-MM-W3-WD-B	1 - 1-1/4
6100314178	ADP-C-G16WD/G24WD-MM-W3-WD-B	1 - 1-1/2
6100314180	ADP-C-G20WD/G24WD-MM-W3-WD-B	1-1/4 - 1-1/2

Shop online
Scan QR Code to view products on webshop online.

Male Adaptor Connector
BSPT Thread
W3 - Steel, zinc/nickel-plated
Type ADP-C-T..MM-W3



Item No.	Designation	Stud Size
6100314182	ADP-C-T02-MM-W3	1/8
6100250206	ADP-C-T04-MM-W3	1/4
6100275529	ADP-C-T08-MM-W3	1/2
6100314191	ADP-C-T12-MM-W3	3/4
6100235389	ADP-C-T16-MM-W3A	1
6100270408	ADP-C-T20-MM-W3	1-1/4
6100314197	ADP-C-T24-MM-W3	1-1/2

Shop online
Scan QR Code to view products on webshop online.

Male Reducing Adaptor Connector
BSPT
W3 - Steel, zinc/nickel-plated
Type ADP-C-T../T..MM-W3



Item No.	Designation	Stud Size
6100314183	ADP-C-T02/T04-MM-W3	1/8 - 1/4
6100314184	ADP-C-T04/T06-MM-W3	1/4 - 3/8
6100314185	ADP-C-T04/T08-MM-W3	1/4 - 1/2
6100314187	ADP-C-T06/T08-MM-W3	3/8 - 1/2
6100314188	ADP-C-T06/T12-MM-W3	3/8 - 3/4
6100314189	ADP-C-T08/T12-MM-W3	1/2 - 3/4
6100314190	ADP-C-T08/T16-MM-W3	1/2 - 1
6100314192	ADP-C-T12/T16-MM-W3	3/4 - 1
6100314193	ADP-C-T12/T20-MM-W3	3/4 - 1-1/4
6100314194	ADP-C-T16/T20-MM-W3	1 - 1-1/4
6100314195	ADP-C-T16/T24-MM-W3	1 - 1-1/2
6100314196	ADP-C-T20/T24-MM-W3	1-1/4 - 1-1/2

Shop online
Scan QR Code to view products on webshop online.

Male Adaptor Connector
BSPP with Profile Sealing Ring (NBR) - BSPT
W3 - Steel, zinc/nickel-plated
Type ADP-C-G..WD/T..-MM-W3-WD-B


Item No.	Designation	Stud Size
6100314198	ADP-C-G02WD/T02-MM-W3-WD-B	1/8
6100314199	ADP-C-G02WD/T04-MM-W3-WD-B	1/8 - 1/4
6100314200	ADP-C-G04WD/T02-MM-W3-WD-B	1/4 - 1/8
6100314201	ADP-C-G04WD/T04-MM-W3-WD-B	1/4
6100314202	ADP-C-G04WD/T06-MM-W3-WD-B	1/4 - 3/8
6100314203	ADP-C-G04WD/T08-MM-W3-WD-B	1/4 - 1/2
6100314204	ADP-C-G06WD/T04-MM-W3-WD-B	3/8 - 1/4
6100314206	ADP-C-G06WD/T06-MM-W3-WD-B	3/8
6100314207	ADP-C-G06WD/T08-MM-W3-WD-B	3/8 - 1/2
6100314208	ADP-C-G06WD/T12-MM-W3-WD-B	3/8 - 3/4
6100314205	ADP-C-G08WD/T04-MM-W3-WD-B	1/2 - 1/4
6100314209	ADP-C-G08WD/T06-MM-W3-WD-B	1/2 - 3/8
6100314211	ADP-C-G08WD/T08-MM-W3-WD-B	1/2
6100314212	ADP-C-G08WD/T12-MM-W3-WD-B	1/2 - 3/4
6100314213	ADP-C-G08WD/T16-MM-W3-WD-B	1/2 - 1
6100314210	ADP-C-G12WD/T06-MM-W3-WD-B	3/4 - 3/8
6100314214	ADP-C-G12WD/T08-MM-W3-WD-B	3/4 - 1/2
6100314216	ADP-C-G12WD/T12-MM-W3-WD-B	3/4
6100314217	ADP-C-G12WD/T16-MM-W3-WD-B	3/4 - 1
6100314218	ADP-C-G12WD/T20-MM-W3-WD-B	3/4 - 1-1/4
6100314215	ADP-C-G16WD/T08-MM-W3-WD-B	1 - 1/2
6100314219	ADP-C-G16WD/T12-MM-W3-WD-B	1 - 3/4
6100314221	ADP-C-G16WD/T16-MM-W3-WD-B	1
6100314222	ADP-C-G16WD/T20-MM-W3-WD-B	1 - 1-1/4
6100314223	ADP-C-G16WD/T24-MM-W3-WD-B	1 - 1-1/2
6100314220	ADP-C-G20WD/T12-MM-W3-WD-B	1-1/4 - 3/4
6100314224	ADP-C-G20WD/T16-MM-W3-WD-B	1-1/4 - 1
6100314226	ADP-C-G20WD/T20-MM-W3-WD-B	1-1/4
6100314227	ADP-C-G20WD/T24-MM-W3-WD-B	1-1/4 - 1-1/2
6100314225	ADP-C-G24WD/T16-MM-W3-WD-B	1-1/2 - 1
6100314228	ADP-C-G24WD/T20-MM-W3-WD-B	1-1/2 - 1-1/4


Shop online

Scan QR Code to view products on webshop online.


Male Adaptor Connector
Metric Thread with Profile Sealing Ring (NBR) - JIC
W3 - Steel, zinc/nickel-plated
Type ADP-C-M..WD/J..-MM-W3-WD-B


Item No.	Designation	Stud Size
6100314104	ADP-C-M08WD/J04-MM-W3-WD-B	M8x1 - 7/16
6100314105	ADP-C-M10WD/J04-MM-W3-WD-B	M10x1 - 7/16
6100314106	ADP-C-M12WD/J04-MM-W3-WD-B	M12x1.5 - 7/16
6100314107	ADP-C-M12WD/J06-MM-W3-WD-B	M12x1.5 - 9/16
6100314108	ADP-C-M12WD/J08-MM-W3-WD-B	M12x1.5 - 3/4
6100314109	ADP-C-M14WD/J04-MM-W3-WD-B	M14x1.5 - 7/16
6100314110	ADP-C-M14WD/J06-MM-W3-WD-B	M14x1.5 - 9/16
6100314111	ADP-C-M14WD/J08-MM-W3-WD-B	M14x1.5 - 3/4
6100314112	ADP-C-M16WD/J04-MM-W3-WD-B	M16x1.5 - 7/16
6100314113	ADP-C-M16WD/J06-MM-W3-WD-B	M16x1.5 - 9/16
6100314114	ADP-C-M16WD/J08-MM-W3-WD-B	M16x1.5 - 3/4
6100314115	ADP-C-M16WD/J10-MM-W3-WD-B	M16x1.5 - 7/8
6100314116	ADP-C-M18WD/J06-MM-W3-WD-B	M18x1.5 - 9/16
6100314117	ADP-C-M18WD/J08-MM-W3-WD-B	M18x1.5 - 3/4
6100314118	ADP-C-M18WD/J10-MM-W3-WD-B	M18x1.5 - 7/8
6100314119	ADP-C-M18WD/J12-MM-W3-WD-B	M18x1.5 - 1-1/16
6100314120	ADP-C-M20WD/J06-MM-W3-WD-B	M20x1.5 - 9/16
6100314121	ADP-C-M20WD/J08-MM-W3-WD-B	M20x1.5 - 3/4
6100314122	ADP-C-M20WD/J10-MM-W3-WD-B	M20x1.5 - 7/8
6100314123	ADP-C-M20WD/J12-MM-W3-WD-B	M20x1.5 - 1-1/16
6100314124	ADP-C-M22WD/J06-MM-W3-WD-B	M22x1.5 - 9/16
6100314125	ADP-C-M22WD/J08-MM-W3-WD-B	M22x1.5 - 3/4
6100314126	ADP-C-M22WD/J10-MM-W3-WD-B	M22x1.5 - 7/8
6100314127	ADP-C-M22WD/J12-MM-W3-WD-B	M22x1.5 - 1-1/16
6100314128	ADP-C-M24WD/J12-MM-W3-WD-B	M24x1.5 - 1-1/16
6100314129	ADP-C-M26WD/J08-MM-W3-WD-B	M26x1.5 - 3/4
6100314130	ADP-C-M26WD/J10-MM-W3-WD-B	M26x1.5 - 7/8
6100314131	ADP-C-M26WD/J12-MM-W3-WD-B	M26x1.5 - 1-1/16
6100314132	ADP-C-M26WD/J16-MM-W3-WD-B	M26x1.5 - 1-5/16
6100314133	ADP-C-M27WD/J12-MM-W3-WD-B	M27x2 - 1-1/16
6100314134	ADP-C-M27WD/J16-MM-W3-WD-B	M27x2 - 1-5/16
6100314135	ADP-C-M28WD/J12-MM-W3-WD-B	M28x2 - 1-1/16
6100314136	ADP-C-M28WD/J16-MM-W3-WD-B	M28x2 - 1-5/16
6100314137	ADP-C-M33WD/J12-MM-W3-WD-B	M33x2 - 1-1/16
6100314138	ADP-C-M33WD/J16-MM-W3-WD-B	M33x2 - 1-5/16
6100314139	ADP-C-M33WD/J20-MM-W3-WD-B	M33x2 - 1-5/8
6100314140	ADP-C-M42WD/J16-MM-W3-WD-B	M42x2 - 1-5/16
6100314141	ADP-C-M42WD/J20-MM-W3-WD-B	M42x2 - 1-5/16
6100314142	ADP-C-M42WD/J24-MM-W3-WD-B	M42x2 - 1-7/8
6100314143	ADP-C-M48WD/J48-MM-W3-WD-B	M42x2 - 3-1/2


Shop online

Scan QR Code to view products on webshop online.


Male Adaptor Connector
BSPP with Profile Sealing Ring (NBR) - BSPP Swivel Female
W3 - Steel, zinc/nickel-plated
Type ADP-C-G..WD/G..-MF-W3-WD-B


Item No.	Designation	Stud Size
6100314235	ADP-C-G02WD/G02-MF-W3-WD-B	1/8
6100314236	ADP-C-G02WD/G04-MF-W3-WD-B	1/8 - 1/4
6100314237	ADP-C-G04WD/G04-MF-W3-WD-B	1/4
6100314238	ADP-C-G04WD/G06-MF-W3-WD-B	1/4 - 3/8
6100314239	ADP-C-G06WD/G06-MF-W3-WD-B	3/8
6100314240	ADP-C-G06WD/G08-MF-W3-WD-B	3/8 - 1/2
6100314241	ADP-C-G08WD/G08-MF-W3-WD-B	1/2
6100314242	ADP-C-G08WD/G12-MF-W3-WD-B	1/2 - 3/4
6100314243	ADP-C-G12WD/G12-MF-W3-WD-B	3/4
6100314244	ADP-C-G12WD/G16-MF-W3-WD-B	3/4 - 1
6100314245	ADP-C-G16WD/G16-MF-W3-WD-B	1
6100314246	ADP-C-G16WD/G20-MF-W3-WD-B	1 - 1-1/4
6100314247	ADP-C-G20WD/G20-MF-W3-WD-B	1-1/4
6100314248	ADP-C-G20WD/G24-MF-W3-WD-B	1-1/4 - 1-1/2
6100314249	ADP-C-G24WD/G24-MF-W3-WD-B	1-1/2


Shop online

Scan QR Code to view products on webshop online.



Female Adaptor Connectors

Female Adaptor (Socket) Connector
 BSPP Thread
 W3 - Steel, zinc/nickel-plated
 Type ADP-C-G..-FFX-W3



Item No.	Designation	Thread Size
6100314250	ADP-C-G02-FFX-W3	1/8
6100314251	ADP-C-G04-FFX-W3	1/4
6100314252	ADP-C-G06-FFX-W3	3/8
6100314253	ADP-C-G08-FFX-W3	1/2
6100314254	ADP-C-G12-FFX-W3	3/4
6100314255	ADP-C-G16-FFX-W3	1
6100314256	ADP-C-G20-FFX-W3	1-1/4
6100314257	ADP-C-G24-FFX-W3	1-1/2



Shop online

Scan QR Code to view products on webshop online.



Female Adaptor (Socket) Connector
 BSPT Thread
 W3 - Steel, zinc/nickel-plated
 Type ADP-C-T..-FFX-W3



Item No.	Designation	Thread Size
6100314258	ADP-C-T02-FFX-W3	1/8
6100314259	ADP-C-T04-FFX-W3	1/4
6100314260	ADP-C-T06-FFX-W3	3/8
6100314261	ADP-C-T08-FFX-W3	1/2
6100314262	ADP-C-T12-FFX-W3	3/4
6100314263	ADP-C-T16-FFX-W3	1
6100314264	ADP-C-T20-FFX-W3	1-1/4
6100314265	ADP-C-T24-FFX-W3	1-1/2



Shop online

Scan QR Code to view products on webshop online.



Ordering Codes

ADP	-	B	-	G06/G06WD	-	MM	-	W3	-	WD-B	-	SKM
①		②		③		④		⑤		⑥		⑥

<p>① Series Adaptor ADP</p> <p>② Type Bulkhead B</p> <p>③ Thread Types & Sizes BSP Cylindrical G BSP WD G..WD Thread Sizes - See Table</p>	<p>④ Gender Types Male / Male MM</p> <p>⑤ Surface Protection Steel, zinc/nickel-plated W3</p> <p>③ Thread Sizes</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Dash Size</th> <th>JIC (J)</th> <th>BSPP (G)</th> <th>BSPT (T)</th> <th>NPT (N)</th> <th>UNO (U)</th> </tr> </thead> <tbody> <tr><td>02</td><td>5/16</td><td>1/8</td><td>1/8</td><td>1/8</td><td>5/16-24</td></tr> <tr><td>03</td><td>3/8</td><td>-</td><td>-</td><td>-</td><td>3/8-24</td></tr> <tr><td>04</td><td>7/16</td><td>1/4</td><td>1/4</td><td>1/4</td><td>7/16-20</td></tr> <tr><td>05</td><td>1/2</td><td>-</td><td>-</td><td>-</td><td>1/2-20</td></tr> <tr><td>06</td><td>9/16</td><td>3/8</td><td>3/8</td><td>3/8</td><td>9/16-18</td></tr> <tr><td>08</td><td>3/4</td><td>1/2</td><td>1/2</td><td>1/2</td><td>3/4-16</td></tr> <tr><td>10</td><td>7/8</td><td>-</td><td>-</td><td>-</td><td>7/8-14</td></tr> </tbody> </table>	Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)	02	5/16	1/8	1/8	1/8	5/16-24	03	3/8	-	-	-	3/8-24	04	7/16	1/4	1/4	1/4	7/16-20	05	1/2	-	-	-	1/2-20	06	9/16	3/8	3/8	3/8	9/16-18	08	3/4	1/2	1/2	1/2	3/4-16	10	7/8	-	-	-	7/8-14	<p>⑥ Assembly Status Perbunan Elastomeric Sealing WD-B Hexagon Nut Assembled SKM</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Dash Size</th> <th>JIC (J)</th> <th>BSPP (G)</th> <th>BSPT (T)</th> <th>NPT (N)</th> <th>UNO (U)</th> </tr> </thead> <tbody> <tr><td>12</td><td>1-1/16</td><td>3/4</td><td>3/4</td><td>3/4</td><td>1-1/16-12</td></tr> <tr><td>14</td><td>1-3/16</td><td>-</td><td>-</td><td>-</td><td>1-3/16-12</td></tr> <tr><td>16</td><td>1-5/16</td><td>1</td><td>1</td><td>1</td><td>1-5/16-12</td></tr> <tr><td>20</td><td>1-5/8</td><td>1-1/4</td><td>1-1/4</td><td>1-1/4</td><td>1-5/8-12</td></tr> <tr><td>24</td><td>1-7/8</td><td>1-1/2</td><td>1-1/2</td><td>1-1/2</td><td>1-7/8-12</td></tr> <tr><td>32</td><td>2-1/2</td><td>2</td><td>2</td><td>2</td><td>2-1/2-12</td></tr> </tbody> </table>	Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)	12	1-1/16	3/4	3/4	3/4	1-1/16-12	14	1-3/16	-	-	-	1-3/16-12	16	1-5/16	1	1	1	1-5/16-12	20	1-5/8	1-1/4	1-1/4	1-1/4	1-5/8-12	24	1-7/8	1-1/2	1-1/2	1-1/2	1-7/8-12	32	2-1/2	2	2	2	2-1/2-12
Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)																																																																																							
02	5/16	1/8	1/8	1/8	5/16-24																																																																																							
03	3/8	-	-	-	3/8-24																																																																																							
04	7/16	1/4	1/4	1/4	7/16-20																																																																																							
05	1/2	-	-	-	1/2-20																																																																																							
06	9/16	3/8	3/8	3/8	9/16-18																																																																																							
08	3/4	1/2	1/2	1/2	3/4-16																																																																																							
10	7/8	-	-	-	7/8-14																																																																																							
Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)																																																																																							
12	1-1/16	3/4	3/4	3/4	1-1/16-12																																																																																							
14	1-3/16	-	-	-	1-3/16-12																																																																																							
16	1-5/16	1	1	1	1-5/16-12																																																																																							
20	1-5/8	1-1/4	1-1/4	1-1/4	1-5/8-12																																																																																							
24	1-7/8	1-1/2	1-1/2	1-1/2	1-7/8-12																																																																																							
32	2-1/2	2	2	2	2-1/2-12																																																																																							

Bulkhead Adaptor Connectors

Bulkhead Adaptor Connector
 BSPP with Profile Sealing Ring (NBR)
W3 - Steel, zinc/nickel-plated
 Type ADP-B-G../G..WD-W3-WD-B-SKM



Item No.	Designation	Stud Size	Barrel Ø
6100314229	ADP-B-G04/G04WD-MM-W3-WD-B-SKM	1/4	13.15 mm
6100314230	ADP-B-G06/G06WD-MM-W3-WD-B-SKM	3/8	16.65 mm
6100314231	ADP-B-G08/G08WD-MM-W3-WD-B-SKM	1/2	20.95 mm
6100314232	ADP-B-G12/G12WD-MM-W3-WD-B-SKM	3/4	26.35 mm
6100314233	ADP-B-G16/G16WD-MM-W3-WD-B-SKM	1	33.15 mm
6100314234	ADP-B-G20/G20WD-MM-W3-WD-B-SKM	1-1/4	41.85 mm


Shop online

Scan QR Code to view products on webshop online.



Ordering Codes

ADP -
 PCE90 -
 G08/G08 -
 MM -
 FG -
 W3 -
 OKOR-B

1
 2
 3
 4
 5
 6
 7

① Series

Adaptor **ADP**

④ Gender Types

Male / Male **MM**

Male / Male / Male (Tee Only) **MMM**

Male / Male / Female (Tee Only) **MMF**

Male / Female / Male (Tee Only) **MFM**

Male / Female **MF**

Female / Female / Female Fixed **FFFX**

⑥ Surface Protection

Steel, zinc/nickel-plated **W3**

② Type

Compact Elbow 90° **⑤ CE90**

Compact Elbow 45° **⑤ CE45**

Tee Connector **⑤ T**

Positional Compact Elbow 90° **⑤ PCE90**

⑤ Body Type

Forged Body (standard)
(For adaptor CE90, CE45, T, and PCE90) **FG**

⑦ Assembly Status

Perbunan O-Rings and Retaining Ring **OKOR-B**

③ Thread Types & Sizes

JIC	J
BSP Cylindrical	G
BSP WD	G..WD
BSP Taper	T
NPT (NPTF)	N
UNF/UN	U
Thread Sizes	- See Table

③ Thread Sizes

Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)
02	5/16	1/8	1/8	1/8	5/16-24
03	3/8	-	-	-	3/8-24
04	7/16	1/4	1/4	1/4	7/16-20
05	1/2	-	-	-	1/2-20
06	9/16	3/8	3/8	3/8	9/16-18
08	3/4	1/2	1/2	1/2	3/4-16
10	7/8	-	-	-	7/8-14

Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)
12	1-1/16	3/4	3/4	3/4	1-1/16-12
14	1-3/16	-	-	-	1-3/16-12
16	1-5/16	1	1	1	1-5/16-12
20	1-5/8	1-1/4	1-1/4	1-1/4	1-5/8-12
24	1-7/8	1-1/2	1-1/2	1-1/2	1-7/8-12
32	2-1/2	2	2	2	2-1/2-12

Elbow Adaptors

Compact Elbow 90°
 BSPT - BSPP Swivel Female
W3 - Steel, zinc/nickel-plated
 Type ADP-CE90-T../G..-MF-FG-W3



Item No.	Designation	Stud Size
6100314274	ADP-CE90-T02/G02-MF-FG-W3	1/8
6100314275	ADP-CE90-T04/G04-MF-FG-W3	1/4
6100314276	ADP-CE90-T06/G06-MF-FG-W3	3/8
6100314277	ADP-CE90-T08/G08-MF-FG-W3	1/2
6100314278	ADP-CE90-T12/G12-MF-FG-W3	3/4
6100314279	ADP-CE90-T16/G16-MF-FG-W3	1
6100314280	ADP-CE90-T20/G20-MF-FG-W3	1-1/4
6100314281	ADP-CE90-T24/G24-MF-FG-W3	1-1/2

Shop online
 Scan QR Code to view products on webshop online.

Male Positional Compact Elbow 90°
 BSPP with Profile Sealing Ring (NBR)
W3 - Steel, zinc/nickel-plated
 Type ADP-PCE90-G../G..-MM-FG-W3-OKOR-B



Item No.	Designation	Stud Size
6100314282	ADP-PCE90-G04/G04-MM-FG-W3-OKOR-B	1/4
6100314283	ADP-PCE90-G04/G06-MM-FG-W3-OKOR-B	1/4 - 3/8
6100314284	ADP-PCE90-G06/G06-MM-FG-W3-OKOR-B	3/8
6100314285	ADP-PCE90-G06/G08-MM-FG-W3-OKOR-B	3/8 - 1/2
6100314286	ADP-PCE90-G08/G08-MM-FG-W3-OKOR-B	1/2
6100314287	ADP-PCE90-G12/G12-MM-FG-W3-OKOR-B	3/4
6100314288	ADP-PCE90-G16/G16-MM-FG-W3-OKOR-B	1
6100314289	ADP-PCE90-G20/G20-MM-FG-W3-OKOR-B	1-1/2

Shop online
 Scan QR Code to view products on webshop online.

Compact Elbow 45°
 BSPT - BSPP Swivel Female
W3 - Steel, zinc/nickel-plated
 Type ADP-CE45-T../G..-MF-FG-W3



Item No.	Designation	Stud Size
6100314266	ADP-CE45-T02/G02-MF-FG-W3	1/8
6100314267	ADP-CE45-T04/G04-MF-FG-W3	1/4
6100314268	ADP-CE45-T06/G06-MF-FG-W3	3/8
6100314269	ADP-CE45-T08/G08-MF-FG-W3	1/2
6100314270	ADP-CE45-T12/G12-MF-FG-W3	3/4
6100314271	ADP-CE45-T16/G16-MF-FG-W3	1
6100314272	ADP-CE45-T20/G20-MF-FG-W3	1-1/4
6100314273	ADP-CE45-T24/G24-MF-FG-W3	1-1/2

Shop online
 Scan QR Code to view products on webshop online.

Male Positional Compact Elbow 90°
 BSPP with Profile Sealing Ring (NBR) - BSPT
W3 - Steel, zinc/nickel-plated
 Type ADP-PCE90-G../T..-MM-FG-W3-OKOR-B



Item No.	Designation	Stud Size
6100314290	ADP-PCE90-G04/T04-MM-FG-W3-OKOR-B	1/4
6100314291	ADP-PCE90-G06/T04-MM-FG-W3-OKOR-B	3/8 - 1/4
6100314292	ADP-PCE90-G06/T06-MM-FG-W3-OKOR-B	3/8
6100314293	ADP-PCE90-G06/T08-MM-FG-W3-OKOR-B	3/8 - 1/2
6100314294	ADP-PCE90-G08/T06-MM-FG-W3-OKOR-B	1/2 - 3/8
6100314295	ADP-PCE90-G08/T08-MM-FG-W3-OKOR-B	1/2
6100314296	ADP-PCE90-G08/T12-MM-FG-W3-OKOR-B	1/2 - 3/4
6100314297	ADP-PCE90-G12/T08-MM-FG-W3-OKOR-B	3/4 - 1/2
6100314298	ADP-PCE90-G12/T12-MM-FG-W3-OKOR-B	3/4
6100314299	ADP-PCE90-G12/T16-MM-FG-W3-OKOR-B	3/4 - 1
6100314300	ADP-PCE90-G16/T12-MM-FG-W3-OKOR-B	1 - 3/4
6100314301	ADP-PCE90-G16/T16-MM-FG-W3-OKOR-B	1
6100314302	ADP-PCE90-G20/T20-MM-FG-W3-OKOR-B	1-1/4
6100314303	ADP-PCE90-G24/T24-MM-FG-W3-OKOR-B	1-1/2

Shop online
 Scan QR Code to view products on webshop online.

Elbow Adaptors

Male Positional Compact Elbow 90°
Metric Male with Profile Sealing Ring (NBR) - JIC Male
W3 - Steel, zinc/nickel-plated
Type ADP-PCE90-M../J.-MM-FG-W3-OKOR-B



Item No.	Designation	Stud Size
6100314144	ADP-PCE90-M14/J06-MM-FG-W3-OKOR-B	M14x1.5 - 9/16
6100314146	ADP-PCE90-M16/J08-MM-FG-W3-OKOR-B	M16x1.5 - 3/4
6100314145	ADP-PCE90-M18/J06-MM-FG-W3-OKOR-B	M18x1.5 - 9/16
6100314147	ADP-PCE90-M18/J08-MM-FG-W3-OKOR-B	M18x1.5 - 3/4
6100314149	ADP-PCE90-M20/J10-MM-FG-W3-OKOR-B	M22x1.5 - 3/4
6100314148	ADP-PCE90-M22/J08-MM-FG-W3-OKOR-B	M20x1.5 - 7/8
6100314150	ADP-PCE90-M22/J10-MM-FG-W3-OKOR-B	M22x1.5 - 7/8
6100314151	ADP-PCE90-M22/J12-MM-FG-W3-OKOR-B	M22x1.5 - 1-1/16



Shop online

Scan QR Code to view products on webshop online.



Thread Sizes

Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)
02	5/16	1/8	1/8	1/8	5/16-24
03	3/8	-	-	-	3/8-24
04	7/16	1/4	1/4	1/4	7/16-20
05	1/2	-	-	-	1/2-20
06	9/16	3/8	3/8	3/8	9/16-18
08	3/4	1/2	1/2	1/2	3/4-16
10	7/8	-	-	-	7/8-14
12	1-1/16	3/4	3/4	3/4	1-1/16-12
14	1-3/16	-	-	-	1-3/16-12
16	1-5/16	1	1	1	1-5/16-12
20	1-5/8	1-1/4	1-1/4	1-1/4	1-5/8-12
24	1-7/8	1-1/2	1-1/2	1-1/2	1-7/8-12
32	2-1/2	2	2	2	2-1/2-12

Tee Adaptors

Male Adaptor Equal Tee
BSPT Thread
W3 - Steel, zinc/nickel-plated
Type ADP-T-T..-MMM-FG-W3



Item No.	Designation	Thread Size
6100314304	ADP-T-T02-MMM-FG-W3	1/8
6100314305	ADP-T-T04-MMM-FG-W3	1/4
6100314306	ADP-T-T06-MMM-FG-W3	3/8
6100314307	ADP-T-T08-MMM-FG-W3	1/2
6100314308	ADP-T-T12-MMM-FG-W3	3/4
6100314309	ADP-T-T16-MMM-FG-W3	1
6100314310	ADP-T-T20-MMM-FG-W3	1-1/4
6100314311	ADP-T-T24-MMM-FG-W3	1-1/2



Shop online

Scan QR Code to view products on webshop online.



Male Adaptor Branch Tee
BSPT - BSPP Female
W3 - Steel, zinc/nickel-plated
Type ADP-T-T../G../T..-MFM-FG-W3



Item No.	Designation	Thread Size
6100314328	ADP-T-T04/G04/T04-MFM-FG-W3	1/4
6100314329	ADP-T-T06/G06/T06-MFM-FG-W3	3/8
6100314330	ADP-T-T08/G08/T08-MFM-FG-W3	1/2
6100314331	ADP-T-T12/G12/T12-MFM-FG-W3	3/4
6100314332	ADP-T-T16/G16/T16-MFM-FG-W3	1
6100314333	ADP-T-T20/G20/T20-MFM-FG-W3	1-1/4



Shop online

Scan QR Code to view products on webshop online.



Male Adaptor Run Tee
BSPT - BSPP Female
W3 - Steel, zinc/nickel-plated
Type ADP-T-T../T../G../MMF-FG-W3



Item No.	Designation	Thread Size
6100314334	ADP-T-T04/T04/G04-MMF-FG-W3	1/4
6100314335	ADP-T-T06/T06/G06-MMF-FG-W3	3/8
6100314336	ADP-T-T08/T08/G08-MMF-FG-W3	1/2
6100314337	ADP-T-T12/T12/G12-MMF-FG-W3	3/4
6100314338	ADP-T-T16/T16/G16-MMF-FG-W3	1
6100314339	ADP-T-T20/T20/G20-MMF-FG-W3	1-1/4



Shop online

Scan QR Code to view products on webshop online.



Tee Adaptors

Female Adaptor Equal Tee

BSPP Thread

W3 - Steel, zinc/nickel-plated

Type ADP-T-G..-FFFX-FG-W3



Item No.	Designation	Thread Size
6100314320	ADP-T-G02-FFFX-FG-W3	1/8
6100314321	ADP-T-G04-FFFX-FG-W3	1/4
6100314322	ADP-T-G06-FFFX-FG-W3	3/8
6100314323	ADP-T-G08-FFFX-FG-W3	1/2
6100314324	ADP-T-G12-FFFX-FG-W3	3/4
6100314325	ADP-T-G16-FFFX-FG-W3	1
6100314326	ADP-T-G20-FFFX-FG-W3	1-1/4
6100314327	ADP-T-G24-FFFX-FG-W3	1-1/2



Shop online

Scan QR Code to view products on webshop online.



Thread Sizes

Dash Size	JIC (J)	BSPP (G)	BSPT (T)	NPT (N)	UNO (U)
02	5/16	1/8	1/8	1/8	5/16-24
03	3/8	-	-	-	3/8-24
04	7/16	1/4	1/4	1/4	7/16-20
05	1/2	-	-	-	1/2-20
06	9/16	3/8	3/8	3/8	9/16-18
08	3/4	1/2	1/2	1/2	3/4-16
10	7/8	-	-	-	7/8-14
12	1-1/16	3/4	3/4	3/4	1-1/16-12
14	1-3/16	-	-	-	1-3/16-12
16	1-5/16	1	1	1	1-5/16-12
20	1-5/8	1-1/4	1-1/4	1-1/4	1-5/8-12
24	1-7/8	1-1/2	1-1/2	1-1/2	1-7/8-12
32	2-1/2	2	2	2	2-1/2-12

Female Adaptor Equal Tee

BSPT Thread

W3 - Steel, zinc/nickel-plated

Type ADP-T-T..-FFFX-FG-W3



Item No.	Designation	Thread Size
6100314312	ADP-T-T02-FFFX-FG-W3	1/8
6100314313	ADP-T-T04-FFFX-FG-W3	1/4
6100314314	ADP-T-T06-FFFX-FG-W3	3/8
6100314315	ADP-T-T08-FFFX-FG-W3	1/2
6100314316	ADP-T-T12-FFFX-FG-W3	3/4
6100314317	ADP-T-T16-FFFX-FG-W3	1
6100314318	ADP-T-T20-FFFX-FG-W3	1-1/4
6100314319	ADP-T-T24-FFFX-FG-W3	1-1/2



Shop online

Scan QR Code to view products on webshop online.



Ordering Codes

ADP -
 CP -
 G08 -
 F -
 W3

①
②
③
④
⑤

① Series

Adaptor	ADP
---------	------------

② Type

Cap	CP
Plug	HP

③ Thread Types & Sizes

BSP Cylindrical	G
BSP Taper	T
Thread Sizes	- See Table

③ Thread Sizes

Dash Size	BSPP (G)	BSPT (T)
02	1/8	1/8
04	1/4	1/4
06	3/8	3/8
08	1/2	1/2
12	3/4	3/4
16	1	1
20	1-1/4	1-1/4
24	1-1/2	1-1/2
32	2	2

④ Gender Types

Male (Plug Only)	M
Female (Cap Only)	F

⑤ Surface Protection

Steel, zinc/nickel-plated	W3
---------------------------	-----------

Caps and Plugs

Cap
 BSPP Female
W3 - Steel, zinc/nickel-plated
 Type ADP-CP-G..-F-W3



Item No.	Designation	Thread Size
6100314152	ADP-CP-G04-F-W3	1/4
6100314153	ADP-CP-G06-F-W3	3/8
6100180384	ADP-CP-G08-F-W3	1/2
6100314154	ADP-CP-G12-F-W3	3/4
6100314155	ADP-CP-G16-F-W3	1
6100314156	ADP-CP-G20-F-W3	1-1/4
6100314157	ADP-CP-G24-F-W3	1-1/2
6100314158	ADP-CP-G32-F-W3	2

Shop online

Scan QR Code to view products on webshop online.

Plug
 BSPT Male
W3 - Steel, zinc/nickel-plated
 Type ADP-HP-T..-M-W3



Item No.	Designation	Thread Size
6100314159	ADP-HP-T04-M-W3	1/4
6100314160	ADP-HP-T06-M-W3	3/8
6100314161	ADP-HP-T08-M-W3	1/2
6100314162	ADP-HP-T12-M-W3	3/4
6100314163	ADP-HP-T16-M-W3	1
6100314164	ADP-HP-T20-M-W3	1-1/4
6100314165	ADP-HP-T24-M-W3	1-1/2
6100314166	ADP-HP-T32-M-W3	2

Shop online

Scan QR Code to view products on webshop online.

Adaptors Fittings



Germany

Walter Stauffenberg GmbH & Co. KG
Im Ehrenfeld 4
58791 Werdohl
Tel.: +49 2392 91 60
Fax: +49 2392 91 61 60
E-Mail: sales@stauff.com

STAUFF products and services are globally available through wholly-owned subsidiaries and a tight network of authorised distributors and representatives in all major industrial regions of the world.

You can find detailed contact information on the last two pages of this product catalogue or at

www.stauff.com

Adelaide

SA Australia
E: ST-AU-Sales-Ade@stauff.com

Auckland

New Zealand
E: ST-NZ-Sales@stauff.com

Brisbane

QLD Australia
E: ST-AU-Sales-Bri@stauff.com

Melbourne

VIC Australia
E: ST-AU-Sales-Mel@stauff.com

Sydney

NSW Australia
E: ST-AU-Sales-Syd@stauff.com

Wollongong

NSW Australia
E: ST-AU-Sales-Una@stauff.com